

तार : यूसील, जादुगोड़ा माइन्स
Cable : UCIL, Jaduguda Mines

PR# List

1. 8/PR179399

यूरेनियम कारपोरेशन ऑफ इंडिया लिमिटेड, जादुगोड़ा

(भारत सरकार का संस्थान)

डाकघर : जादुगोड़ा माइन्स, झारखण्ड-832 102

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

P.O. Jaduguda Mines, Jharkhand - 832 102

पूछताछ / Enquiry

फोन / Phone : (0657) 2730122
2730222, 2730353

फैक्स / Fax : (0657) 2730322
(0657) 2731332

E-mail : jadpur@uraniumcorp.in

सेवा में / To

लिफाफे पर यह संदर्भ लिखें

QUOTE THIS REFERENCE ON THE COVER

पूछताछ सं० / Enquiry No. 2/PE171318/8

तारीख / Date 16/10/2017

नियत तारीख / Due Date 28/11/2017

महाशय,

कृपया निम्नलिखित सामान की पूर्ति के लिए दिए गए हमारे पन्ने के दूसरी ओर अनुदेशों के अनुसार अपने भाव भेजें। अपने भाव भंडार "क्रय विभाग" को उपयुक्त पते पर नियत तारीख से पूर्व डाक द्वारा भेजें।

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

क्रम सं० Sl. No.	सामान का नाम / DESCRIPTION OF STORES	मात्रा QUANTITY
	Please refer the attached annexure for materials' details	
	Note : 1. Please quote your rate in figure and word without overwriting / cutting and submit your offer in duplicate for consideration. 2. FAX OFFER WILL NOT BE ACCEPTED. 3. Your offer should be valid for minimum 90 days. 4. Entire Bank charges, if any will be borne by you. 5. Our terms of payment will be full within 30 days from the date of Receipt & acceptance of materials.	

अनुलग्नक
Enclosures

Drawing & Annexur:A,1,2
& 3.

CC To:

File

भवदीय / Yours faithfully

कृते यूरेनियम कारपोरेशन ऑफ इंडिया लिमिटेड
For URANIUM CORPORATION OF INDIA LIMITED

AKHIL RAJ
16/10/17


MATERIAL :- M.S. RL

REV. 1	DATE	REV. BY	REV.	DESCRIPTION	DIMENSIONS IN MM	DRG.NO.- UCT-2/MECH/PIPE/145
01.05.14			1	HOLE DIRECTION CHANGED	SCALE - NTS	
					APPROVED	
					CHECKED N.K Nayak	
					DRN. Rajesh	
					02.11.13	
					TITLE	
						CONCENTRIC & ECCENTRIC REDUCERS




URANUM CORPORATION OF INDIA LTD. TURAMDIH MINES
(A GOVT. OF INDIA ENTERPRISE, DEPT. OF ATOMIC ENERGY)


VIEW - A - A
FLANGES FOR PIPES
FROM 400 NB & ABOVE



VIEW - A - A
FLANGES FOR PIPES
FROM 250 TO 350 NB



VIEW - A - A
FLANGES FOR PIPES
FROM 100 TO 200 NB



VIEW - A - A
FLANGES FOR PIPES
UP TO 80 NB





TABLE - A

PIPE SIZE	THICKNESS
400 NB	6.35
300 NB	5.6
250 NB	5.0
200 NB	4.5

Properties of soft natural rubber
Rubber Lining Thickness - 6mm
Hardness : Shore A 40±5°
Tensile Strength : 150 -180 kgf/cm²
Sp. Gr. : 1.1 to 1.2
Elongation : 450 % Min.
Ash Content : 7% Max.
Resilience : 60±5 %
Abrasion Resistance : 65 mm³ at 10 N as per DIN 53516
Adhesion : 3.6 Kg/CM as per IS:3400 Part V

PIPE	F	125x50 NB	165
		40x25 NB	102
		40x32 NB	102
		50x25 NB	114
		50x32 NB	114
		50x40 NB	114
		65x25 NB	128
		65x32 NB	128
		65x40 NB/50 NB	128
		80x25 NB	128
		80x32 NB	128
		80x40 NB	128
		80x50 NB	128
		80x65 NB	128
		100x25 NB	140
		100x32 NB	140
		100x40 NB	140
		100x50 NB	140
		100x65 NB	140
		100x80 NB	140

PIPE	F	125x50 NB	165
		125x65 NB	165
		125x80 NB	165
		125x100 NB	165
		150x50 NB	178
		150x65 NB	178
		150x80 NB	178
		150x100 NB	178
		150x125 NB	178
		200x80 NB	190
		200x100 NB	190
		200x125 NB	190
		200x150 NB	190
		250x100 NB	216
		250x125 NB	216
		250x150 NB	216
		250x200 NB	216

Note :- 1. Lining conforming to IS 4682.
2. Vapourising should be done in autoclave.
3. Lining should be done with calandered sheet.
4. Final inspection will be done at our site.
NOTE :- 1. ALL FLANGES ARE AS PER ANSI-B16.5, 150.
2. ALL FLANGES SIZES OF 400 NB & ABOVE
PLEASE REFER SKETCH FOR 90° ELBOWS
3. FOR FLANGES, BOLT HOLES ARE EQUALLY SPACED
4. REDUCER ARE TO BE MADE FROM ERW PIPES
AS PER IS:1239-1 HEAVY GRADE UPTO 150 NB
FOR SIZE 200 NB AND ABOVE FROM ERW
PIPES AS PER IS:3589 WITH THICKNESS
AS PER TABLE - A
5. ALL THE DIMENSIONS ARE EXCLUDING RUBBER
LINING THICKNESS.

Annexure for PE# 2/PE171318/8

Sl.No.	Material Code	Material Description	Quantity	Unit
		<u>MSRL Flanged Concentric Reducer Drilled to ANSI B 16.5 Class 150 as per Dwg.No: UCT-2/Mech/Pipe/145 attached :-</u>		
1	800036303694	MSRL COCENTRIC REDUCER SIZE- 50X40 NB	5	Number
2	800036303697	MSRL COCENTRIC REDUCER SIZE- 65X40 NB	5	Number
3	800036303701	MSRL COCENTRIC REDUCER SIZE- 80X50 NB	5	Number
4	800036303702	MSRL COCENTRIC REDUCER SIZE- 80X65 NB	5	Number
5	800036303706	MSRL COCENTRIC REDUCER SIZE- 100X50 NB	5	Number
6	800036303707	MSRL COCENTRIC REDUCER SIZE- 100X65 NB	5	Number
7	800036303708	MSRL COCENTRIC REDUCER SIZE- 100X80 NB	10	Number
8	800036303711	MSRL COCENTRIC REDUCER SIZE- 125X80 NB	5	Number
9	800036303712	MSRL COCENTRIC REDUCER SIZE- 125X100 NB	10	Number
10	800036303716	MSRL COCENTRIC REDUCER SIZE- 150X100 NB	5	Number
11	800036303717	MSRL COCENTRIC REDUCER SIZE- 150X125 NB	10	Number
12	800036303719	MSRL COCENTRIC REDUCER SIZE- 200X100 NB	5	Number
13	800036303720	MSRL COCENTRIC REDUCER SIZE- 200X125 NB	5	Number
14	800036303721	MSRL COCENTRIC REDUCER SIZE- 200X150 NB	5	Number
15	800036303770	MSRL COCENTRIC REDUCER SIZE- 65X50 NB	5	Number

Note:- 1. Bidder Should submit their offer as per terms & conditions given

under Annexure 1, 2 & 3[ANNEXURE -1(Pre -Qualification Part)

,ANNEXURE-2(Technocommercial Cum Price Part) & Annexure -3

(Pre-Qualification Criteria)]

2. Please do not send your offer in hard copy. Bidder should submit

their offer through our website i.e. www.uraniumcorp.in OR

www.tenderwizard.com/UCILEPROC only.

(Signature)
(Akhil Rai)

Dy. Supdt. (Mech/Purchase)