



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2024/B/4770387  
Dated/दिनांक : 12-03-2024

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	02-04-2024 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	02-04-2024 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Uranium Corporation Of India Limited
Office Name/कार्यालय का नाम	Kadapa
Total Quantity/कुल मात्रा	24
Item Category/मद केटेगरी	Steel Tables as per IS 8126 (Q3) , Executive Table (V2) (Q3) , Revolving Chair (V3) (Q2) , Modular Extendable Conference Table (Q3)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Revolving Chair (V3)
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days

**Bid Details/बिड विवरण****Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**

No

**Evaluation Method/मूल्यांकन पद्धति**

Total value wise evaluation

**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	10000

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	12

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

DGM(PURCHASE/STORES)

C.MATHIVANAN( DGM (PURCHASE/STORE)) M/S Uranium Corporation Of India Limited , Tummalapalli, MC Palli (PO), Vemula(M), YSR(Kadapa) Dist, Andhra Pradesh -516349.  
(Uranium Corportaion Of India Limited)

**Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
4. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
5. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023  
[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
6. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### **Steel Tables As Per IS 8126 ( 10 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

<b>Specification</b>	<b>Specification Name/विशिष्टि का नाम</b>	<b>Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य</b>
GENERIC	<b>Storage</b>	one side
	<b>Total Number of Storage Units</b>	triple storage
	<b>Table Top Material and Thickness (+/-2 mm)</b>	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	<b>Padestal (Under structure)</b>	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)
	<b>Table Top Length +/- 10(mm)</b>	1190.0 (millimeter)
	<b>Table Top Width +/-10(mm)</b>	600.0 (millimeter)
	<b>Table Height +/-5(mm)</b>	735.0 (millimeter)
MATERIAL	<b>Storage Unit and Drawer Units Material</b>	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	<b>Depth of Storage Unit +/- 10(mm)</b>	600.0 (millimeter)
	<b>Width of Locker / Cupboard type Storage unit</b>	350 mm
	<b>Depth of Locker / Cupboard type Storage unit</b>	600 mm
CERTIFICATION	<b>ISI Marked</b>	No
	<b>Test reports to be furnished to buyer on demand</b>	YES
	<b>BIFMA certification</b>	NO
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified</b>	YES
	<b>Green guard certification</b>	NO
WARRANTY	<b>Warranty in number of years</b>	1

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, TUMMALAPALLE, MABBUCHINTHALA PALLE (POST), VEMULA (MANDAL), YSR KADAPA (DISTRICT), ANDHRA PRADESH (STATE)- 516349.	10	45

**Steel Tables As Per IS 8126 ( 1 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>Storage</b>	both side
	<b>Total Number of Storage Units</b>	five storage
	<b>Table Top Material and Thickness (+/-2 mm)</b>	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	<b>Padestal (Under structure)</b>	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	<b>Table Top Length +/- 10(mm)</b>	1660.0 (millimeter)
	<b>Table Top Width +/-10(mm)</b>	900.0 (millimeter)
	<b>Table Height +/-5(mm)</b>	760.0 (millimeter)
MATERIAL	<b>Storage Unit and Drawer Units Material</b>	0.7 mm M S sheet
DIMENSION	<b>Depth of Storage Unit +/- 10(mm)</b>	550.0 (millimeter)
	<b>Width of Locker / Cupboard type Storage unit</b>	355 mm
	<b>Depth of Locker / Cupboard type Storage unit</b>	560 MM
CERTIFICATION	<b>ISI Marked</b>	No

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	YES
WARRANTY	Warranty in number of years	1

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, TUMMALAPALLE, MABBUCHINTHALA PALLE (POST), VEMULA (MANDAL), YSR KADAPA (DISTRICT), ANDHRA PRADESH (STATE)- 516349.	1	45

**Executive Table (V2) ( 2 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

<b>Specification</b>	<b>Specification Name/विशिष्टि का नाम</b>	<b>Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य</b>
GENERIC	<b>Structure /Frame of table</b>	Gable end and modesty panel
	<b>The type of Storage provided</b>	Both side pedestal unit
	<b>Keyboard tray</b>	Provided
	<b>Footrest</b>	Not Provided
MATERIAL	<b>Tabletop Material</b>	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	<b>Thickness of table top material (± 1 mm)</b>	25 mm
	<b>Gable end material</b>	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the gable end</b>	25 mm
	<b>Modesty panel material</b>	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	<b>The thickness of the modesty panel material</b>	25 mm
	<b>Leg Material</b>	NA
	<b>The thickness of the Leg material</b>	NA
DIMENSION	<b>Width of tabletop ±10 mm</b>	1800 mm
	<b>Depth of table ±10 mm</b>	900 mm
	<b>Height of table ±10 mm</b>	750 mm
	<b>Size (L x W) /diameter of leg material ± 5 mm</b>	NA
EXTENDED RETURN UNIT	<b>ERU unit consists of</b>	3 drawers
PEDESTAL UNIT	<b>Total Number of drawers /storage in Pedestal units</b>	Three drawers
COLOUR AND FINISH	<b>Table top finish</b>	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	<b>Tabletop shade</b>	Teak
	<b>Table /ERU /Pedestal Panel Plain Side</b>	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	<b>Warranty period</b>	1 Year
CERTIFICATION	<b>Test reports to be furnished to the buyer on demand</b>	Yes

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, TUMMALAPALLE, MABBUCHINTHALA PALLE (POST), VEMULA (MANDAL), YSR KADAPA (DISTRICT), ANDHRA PRADESH (STATE)- 516349.	2	45

**Revolving Chair (V3) ( 2 pieces )**

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

**Technical Specifications/तकनीकी विशिष्टियाँ**

[\\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Tilt mechanism</b>	Knee tilt Synchronic mechanism
	<b>Locking mechanism</b>	Any position Locking
	<b>Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation</b>	Adjustable (up and down)
	<b>Backrest type</b>	Tilting type
MATERIAL AND MATERIAL THICKNESS	<b>Pedestal Base</b>	Nylon
	<b>Armrest Material</b>	PU molded over metal insert
	<b>Minimum density of foam used in seat</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in seat</b>	30 mm
	<b>Seat upholstery material</b>	100 % Polyester fabric
	<b>Backrest base frame material</b>	Hot pressed plywood



Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	Mesh fabrics
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)
DIMENSION	Minimum width of seat	450 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	High back (551 and above)
	Minimum thickness of MS Plate Joining the understructure with Seat	2 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Black
	Upholstered material backrest color	Black

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, TUMMALAPALLE, MABBUCHINTHALA PALLE (POST), VEMULA (MANDAL), YSR KADAPA (DISTRICT), ANDHRA PRADESH (STATE)- 516349.	2	45

### Revolving Chair (V3) ( 1 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERAL REQUIREMENT	<b>Tilt mechanism</b>	Swivel tilt mechanism
	<b>Locking mechanism</b>	Upright locking
	<b>Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation</b>	Fixed
	<b>Backrest type</b>	Tilting type
MATERIAL AND MATERIAL THICKNESS	<b>Pedestal Base</b>	Nylon
	<b>Armrest Material</b>	PU molded over metal insert
	<b>Minimum density of foam used in seat</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in seat</b>	30 mm
	<b>Seat upholstery material</b>	100 % Polyester fabric
	<b>Backrest base frame material</b>	Hot pressed plywood
	<b>Padding at backrest</b>	PU foam
	<b>The minimum density of foam used in the backrest</b>	30 kg per cubic meter
	<b>Minimum thickness of PU foam used in backrest</b>	30 mm

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	<b>Backrest upholstery material</b>	100 % Polyester fabric
	<b>Upholstery material thickness /fabric substance used in seat /backrest</b>	Minimum 200 GSM (for Woven fabric)
DIMENSION	<b>Minimum width of seat</b>	450 mm
	<b>Minimum depth of seat</b>	450 mm
	<b>Minimum width of backrest</b>	450 mm
	<b>Backrest height</b>	Mid back (451 to 550 mm)
	<b>Minimum thickness of MS Plate Joining the understructure with Seat</b>	2 mm
	<b>Minimum pedestal size (diameter)</b>	650 mm
COLOUR AND FINISH	<b>Upholstered material seat color</b>	Black
	<b>Upholstered material backrest color</b>	Black

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, TUMMALAPALLE, MABBUCHINTHALA PALLE (POST), VEMULA (MANDAL), YSR KADAPA (DISTRICT), ANDHRA PRADESH (STATE)- 516349.	1	45

**Modular Extendable Conference Table ( 1 per seat )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	<b>SELLING UNIT</b>	SELLING UNIT IS PER SEAT. SELLER TO OFFER PRICES IN TERMS OF PRICE PER SEAT. WHILE ORDERING, BUYER TO ORDER FOR QUANTITY OF SEATS REQUIRED IN CONFERENCE TABLE.
	<b>Type of Seating Offered</b>	Single Seating, Dual Seating
	<b>Top Fixing</b>	With gable end and modesty panel using Mini Fix And Wooden Dowel By Using (Knock Down) System For Interconnecting
	<b>Number of single seater</b>	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, N.A
	<b>Number of dual seater</b>	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, N.A
	<b>Number of corners for work top</b>	1, 2, 3, 4
	<b>Mode of Supply of modular table</b>	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	<b>Material of work top <math>\pm</math> 3 mm</b>	25mm Other Wood
	<b>Table top plain side</b>	Edge banded with PVC tape of 2 mm thick with help of hot melt glue
	<b>Material of Gable end and modesty panel <math>\pm</math>3 mm</b>	18 Mm Thick Flat Single Layer Prelaminated MDF Board Conforming To Designation PLMDF-23 Of IS:14587/Latest
DIMENSION	<b>Length of Each Seat of Work Top <math>\pm</math> 20 mm</b>	675 mm for single AND 1350 mm For dual
	<b>Depth of Work Top <math>\pm</math> 20 mm</b>	600 mm
COLOUR & FINISH	<b>Table top finish</b>	Membrane Finish
	<b>Colour of top finish</b>	As per buyer's choice
WARANTY	<b>Warranty period in number of years</b>	1
CERTIFICATION	<b>Test reports to be furnished to buyer on demand</b>	YES
	<b>OEM of offered product is ISO 9001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 14001:2015 certified</b>	YES
	<b>OEM of offered product is ISO 18001:2007/45001:2018 certified</b>	YES

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Product having BIFMA certification	NO

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Satish Chandra Bitra	516349, CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, TUMMALAPALLE, MABBUCHINTHALA PALLE (POST), VEMULA (MANDAL), YSR KADAPA (DISTRICT), ANDHRA PRADESH (STATE)- 516349.	1	45

### Steel Tables As Per IS 8126 ( 7 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Storage	both side
	Total Number of Storage Units	five storage
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild Steel Square Section of outside side minimum 25 mm and wall thickness minimum 1.2 mm
	Table Top Length +/- 10(mm)	1360.0 (millimeter)
	Table Top Width +/-10(mm)	690.0 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Table Height +/-5(mm)	735.0 (millimeter)
MATERIAL	Storage Unit and Drawer Units Material	0.6 mm M S Sheet (Not as per IS 8126)
DIMENSION	Depth of Storage Unit +/-10(mm)	550.0 (millimeter)
	Width of Locker / Cupboard type Storage unit	355 mm
	Depth of Locker / Cupboard type Storage unit	560 MM
CERTIFICATION	ISI Marked	No
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/ISO 45001:2018 certified	YES
	Green guard certification	NO
WARRANTY	Warranty in number of years	1

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Satish Chandra Bitra	516349,CHIEF CONTROLLER OF PURCHASE, URANIUM CORPORATION OF INDIA LIMITED, TUMMALAPALLE, MABBUCHINTHALA PALLE (POST), VEMULA (MANDAL), YSR KADAPA (DISTRICT), ANDHRA PRADESH (STATE)- 516349.	7	45

## Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

### 3. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

## Pre Qualification Criteria

- a) Bidder should submit previous purchase order copies as a proof of being supplied similar items to any of the comp any during the current (or) last 03 financial years ending with 31.03.2023 along with part-1 of their offer, failing whi ch their offer shall be rejected.

### 4. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**