



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2023/B/4207481  
Dated/दिनांक : 14-11-2023

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	05-12-2023 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	05-12-2023 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Pmo
Department Name/विभाग का नाम	Department Of Atomic Energy
Organisation Name/संगठन का नाम	Uranium Corporation Of India Limited
Office Name/कार्यालय का नाम	Jaduguda
Total Quantity/कुल मात्रा	28
Item Category/मद केटेगरी	Induction Motor as per IS 12615, IS 325 (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	2 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	7 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	1 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Annual Turnover *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	30 %

<b>Bid Details/बिड विवरण</b>	
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Primary product category</b>	Induction Motor as per IS 12615, IS 325
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation

#### **EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	10000

#### **ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	3.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	18

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

#### **Beneficiary/लाभार्थी :**

Manager (A/Cs) PAS  
Accounts, Department ,Uranium Corporation of India Limited , PO : Jaduguda Mines ,Jharkhand-832102  
(A.k. Tiwari)

#### **Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
5. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023. [OM\\_No.1\\_4\\_2021\\_PPD\\_dated\\_18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
7. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered

product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

8. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 30% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

### Induction Motor As Per IS 12615, IS 325 ( 4 pieces )

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification and standards	Conformity to Indian standard	IS 12615-2018
	Certification	BIS
	Conformity to Design standard	IEC 60034-1
General Specification	Frequency	50 Hertz (+/- 5%)
	Frame Size	90.0 (millimeter)
	<b>Winding</b>	Copper
	Body Material	Cast Iron
	Weight	29.0 (kilogram)
	Protection Class	IP55
	Rated Voltage	415 Volts (+/- 10%)
	<b>Mounting</b>	Foot Mounting
	Enclosure	TEFC
	<b>Phase</b>	Three Phase
	<b>Pole</b>	4
	<b>Rated Power Capacity</b>	2.0 (horsepower)
	<b>Speed in RPM</b>	1500
	<b>Rated Power</b>	1.5 (kiloWatt)
	Insulation Class	F Class
<b>Efficiency Class</b>	IE2	

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Dimensions	Height	225.0 (millimeter)
	Shaft Diameter	24.0 (millimeter)
	Width	168.0 (millimeter)
	Length	375.0 (millimeter)
Warranty	Warranty	1.0 (year)

#### Additional Specification Parameters - Induction Motor As Per IS 12615, IS 325 ( 4 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	1.5 KW (2 HP), 3-phase, 415 V AC, 50 Hz, TEFC, Efficiency class:IE2, Horizontal foot mounted squirrel cage inductor motor, RPM:1500, Frame size:90L, DutyS1, protection class:IP55, Ins. Class:F with top mounted terminal box rotatable on all sides. Note 1) Test and guarantee certificate shall be provided.
Note	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIIH STORE UCIL TURAMDIIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	4	120

#### Induction Motor As Per IS 12615, IS 325 ( 3 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	CE, BIS
	Conformity to Design standard	IEC 60034, IEC 60072
General Specification	Frequency	50 Hertz (+/- 5%)
	Frame Size	100.0 (millimeter)
	<b>Winding</b>	Copper
	Body Material	Cast Iron
	Weight	37.0 (kilogram)
	Protection Class	IP55
	Rated Voltage	415 Volts (+/- 10%)
	<b>Mounting</b>	Foot Mounting
	Enclosure	TEFC
	<b>Phase</b>	Three Phase
	<b>Pole</b>	4
	<b>Rated Power Capacity</b>	3.0 (horsepower)
	<b>Speed in RPM</b>	1440
	<b>Rated Power</b>	2.2 (kiloWatt)
	Insulation Class	F Class
<b>Efficiency Class</b>	IE2	
Dimensions	Height	240.0 (millimeter)
	Shaft Diameter	28.0 (millimeter)
	Width	340.0 (millimeter)
	Length	450.0 (millimeter)
Warranty	<b>Warranty</b>	1.0 (year)

**Additional Specification Parameters - Induction Motor As Per IS 12615, IS 325 ( 3 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
------------------------------	----------------------------------

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	2.2 KW (3 HP), 3-phase, 415 V AC, 50 Hz, TEFC, Efficiency class:IE2, Horizontal foot mounted squirrel cage inductor motor, RPM:1440, Frame size:100L, DutyS1, protection class:IP55, Ins. Class:F with top mounted terminal box rotatable on all sides. Note 1) Test and guarantee certificate shall be provided.
Note	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIIH STORE UCIL TURAMDIIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	3	120

**Induction Motor As Per IS 12615, IS 325 ( 2 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	CE, BIS
	Conformity to Design standard	IEC 60034, IEC 60072
General Specification	Frequency	50 Hertz (+/- 5%)
	Frame Size	132.0 (millimeter)
	<b>Winding</b>	Copper
	Body Material	Cast Iron
	Weight	69.0 (kilogram)
	Protection Class	IP55

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Rated Voltage	415 Volts (+/- 10%)
	<b>Mounting</b>	Flange Mounting
	Enclosure	TEFC
	<b>Phase</b>	Three Phase
	<b>Pole</b>	6
	<b>Rated Power Capacity</b>	5.0 (horsepower)
	<b>Speed in RPM</b>	1000
	<b>Rated Power</b>	3.7 (kiloWatt)
	Insulation Class	F Class
	<b>Efficiency Class</b>	IE2
Dimensions	Height	410.0 (millimeter)
	Shaft Diameter	38.0 (millimeter)
	Width	410.0 (millimeter)
	Length	550.0 (millimeter)
Warranty	<b>Warranty</b>	1.0 (year)

**Additional Specification Parameters - Induction Motor As Per IS 12615, IS 325 ( 2 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	3.7 KW (5 HP), 3-phase, 415 V AC, 50 Hz, TEFC, Efficiency class:IE2, vertical flange mounted squirrel cage inductor motor, RPM:1000, Frame size:132S, DutyS1, protection class:IP55, Ins. Class:F terminal box rotatable on all sides. Note 1) Test and guarantee certificate shall be provided.
Note	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIH STORE UCIL TURAMDIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	2	120

### Induction Motor As Per IS 12615, IS 325 ( 5 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	BIS
	Conformity to Design standard	IEC 60034
General Specification	Frequency	50 Hertz (+/- 5%)
	Frame Size	112.0 (millimeter)
	<b>Winding</b>	Copper
	Body Material	Cast Iron
	Weight	36.0 (kilogram)
	Protection Class	IP55
	Rated Voltage	415 Volts (+/- 10%)
	<b>Mounting</b>	Foot Mounting
	Enclosure	TEFC
	<b>Phase</b>	Three Phase
	<b>Pole</b>	4
	<b>Rated Power Capacity</b>	5.0 (horsepower)
	<b>Speed in RPM</b>	1440
	<b>Rated Power</b>	3.7 (kiloWatt)
	Insulation Class	F Class
<b>Efficiency Class</b>	IE2	
Dimensions	Height	340.0 (millimeter)
	Shaft Diameter	28.0 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Width	360.0 (millimeter)
	Length	471.0 (millimeter)
Warranty	Warranty	1.0 (year)

#### Additional Specification Parameters - Induction Motor As Per IS 12615, IS 325 ( 5 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	3.7 KW (5 HP), 3-phase, 415 V AC, 50 Hz, TEFC, Efficiency class:IE2, Horizontal foot mounted squirrel cage inductor motor, RPM:1440, Frame: 112M, Duty:S1, protection class:IP55, Ins. Class:F with top mounted terminal box rotatable on all sides. Note 1) Test and guarantee certificate shall be provided.
Note	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIH STORE UCIL TURAMDIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	5	120

#### Induction Motor As Per IS 12615, IS 325 ( 4 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	NA
	Conformity to Design standard	IEC 60034-1
General Specification	Frequency	50 Hertz (+/- 5%)
	Frame Size	132.0 (millimeter)
	<b>Winding</b>	Copper
	Body Material	Cast Iron
	Weight	48.0 (kilogram)
	Protection Class	IP55
	Rated Voltage	415 Volts (+/- 10%)
	<b>Mounting</b>	B3-FOOT
	Enclosure	TEFC
	<b>Phase</b>	Three Phase
	<b>Pole</b>	4
	<b>Rated Power Capacity</b>	7.5 (horsepower)
	<b>Speed in RPM</b>	1500
	<b>Rated Power</b>	5.5 (kiloWatt)
	Insulation Class	F Class
<b>Efficiency Class</b>	IE2	
Dimensions	Height	328.0 (millimeter)
	Shaft Diameter	38.0 (millimeter)
	Width	260.0 (millimeter)
	Length	475.0 (millimeter)
Warranty	<b>Warranty</b>	1.0 (year)

**Additional Specification Parameters - Induction Motor As Per IS 12615, IS 325 ( 4 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	5.5 KW (7.5 HP), 3-phase, 415 V AC, 50 Hz, TEFC, Efficiency class:IE2, Horizontal foot mounted squirrel cage inductor motor, RPM:1500, Frame size: 132S, Duty:S1, protection class:IP55, Ins. Class:F with top mounted terminal box rotatable on all sides. Note 1) Test and guarantee certificate shall be provided.
Note	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDHI STORE UCIL TURAMDHI MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	4	120

**Induction Motor As Per IS 12615, IS 325 ( 2 pieces )**

**(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)**

**Technical Specifications/तकनीकी विशिष्टियाँ**

\* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	CE, BIS, NA
	Conformity to Design standard	IEC 60034, IEC 60072
General Specification	Frequency	50 Hertz (+/- 5%)
	Frame Size	132.0 (millimeter)
	<b>Winding</b>	Copper
	Body Material	Cast Iron
	Weight	59.0 (kilogram)
	Protection Class	IP23, IP44, IP21, IP55

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Rated Voltage	415 Volts (+/- 10%)
	<b>Mounting</b>	Foot Mounting
	Enclosure	TEFC
	<b>Phase</b>	Three Phase
	<b>Pole</b>	2
	<b>Rated Power Capacity</b>	10.0 (horsepower)
	<b>Speed in RPM</b>	2880
	<b>Rated Power</b>	7.5 (kiloWatt)
	Insulation Class	F Class
	<b>Efficiency Class</b>	IE2
Dimensions	Height	328.0 (millimeter)
	Shaft Diameter	38.0 (millimeter)
	Width	256.0 (millimeter)
	Length	518.0 (millimeter)
Warranty	<b>Warranty</b>	1.0 (year)

#### Additional Specification Parameters - Induction Motor As Per IS 12615, IS 325 ( 2 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	7.5 KW (10 HP), 3-phase, 415 V AC, 50 Hz, TEFC, Efficiency class:IE2, Horizontal foot mounted squirrel cage inductor motor, RPM:2880, Frame size: 132S, Duty:S1, protection class:IP55, Ins. Class:F with top mounted terminal box rotatable on all sides. Note 1) Test and guarantee certificate shall be provided.
Note	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIH STORE UCIL TURAMDIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	2	120

### Induction Motor As Per IS 12615, IS 325 ( 5 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	CE, BIS
	Conformity to Design standard	IEC 60034, IEC 60072
General Specification	Frequency	50 Hertz (+/- 5%)
	Frame Size	132.0 (millimeter)
	<b>Winding</b>	Copper
	Body Material	Cast Iron
	Weight	85.0 (kilogram)
	Protection Class	IP55
	Rated Voltage	415 Volts (+/- 10%)
	<b>Mounting</b>	Foot Mounting
	Enclosure	TEFC
	<b>Phase</b>	Three Phase
	<b>Pole</b>	4
	<b>Rated Power Capacity</b>	10.0 (horsepower)
	<b>Speed in RPM</b>	1440
	<b>Rated Power</b>	7.5 (kiloWatt)
	Insulation Class	F Class
<b>Efficiency Class</b>	IE2	
Dimensions	Height	430.0 (millimeter)
	Shaft Diameter	38.0 (millimeter)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Width	500.0 (millimeter)
	Length	650.0 (millimeter)
Warranty	Warranty	1.0 (year)

#### Additional Specification Parameters - Induction Motor As Per IS 12615, IS 325 ( 5 pieces )

Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	7.5 KW (10 HP), 3-phase, 415 V AC, 50 Hz, TEFC, Efficiency class:IE2, Horizontal foot mounted squirrel cage inductor motor, RPM:1440, Frame size: 132M, Duty:S1, protection class:IP55, Ins. Class:F with top mounted terminal box rotatable on all sides. Note 1) Test and guarantee certificate shall be provided.
Note	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIH STORE UCIL TURAMDIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	5	120

#### Induction Motor As Per IS 12615, IS 325 ( 3 pieces )

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

#### Technical Specifications/तकनीकी विशिष्टियाँ

\* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Certification and standards	Conformity to Indian standard	IS12615:2011
	Certification	CE, BIS, NA
	Conformity to Design standard	IEC 60034, IEC 60072
General Specification	Frequency	50 Hertz (+/- 5%)
	Frame Size	132.0 (millimeter)
	<b>Winding</b>	Copper
	Body Material	Cast Iron
	Weight	99.0 (kilogram)
	Protection Class	IP23, IP44, IP21, IP55
	Rated Voltage	415 Volts (+/- 10%)
	<b>Mounting</b>	Foot Mounting
	Enclosure	TEFC
	<b>Phase</b>	Three Phase
	<b>Pole</b>	4
	<b>Rated Power Capacity</b>	12.5 (horsepower)
	<b>Speed in RPM</b>	1500
	<b>Rated Power</b>	9.3 (kiloWatt)
	Insulation Class	F Class
<b>Efficiency Class</b>	IE2	
Dimensions	Height	328.0 (millimeter)
	Shaft Diameter	38.0 (millimeter)
	Width	256.0 (millimeter)
	Length	513.0 (millimeter)
Warranty	<b>Warranty</b>	1.0 (year)

**Additional Specification Parameters - Induction Motor As Per IS 12615, IS 325 ( 3 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)



Specification Parameter Name	Bid Requirement (Allowed Values)
Additional Specification	9.3 KW (12.5 HP), 3-phase, 415 V AC, 50 Hz, TEFC, Efficiency class:IE2, Horizontal foot mounted squirrel cage inductor motor, RPM:1500, Frame size: 132M, Duty:S1, protection class:IP55, Ins. Class:F with top mounted terminal box rotatable on all sides. Note 1) Test and guarantee certificate shall be provided.
Note	Bidders shall submit their offer strictly as per specification and scope given in the bid. Bidders shall also comply additional specification given in the bid, failing which offer will liable to be rejected. Conditional offer will also liable to be rejected.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Sheikh Mohammed Shamim	832107,UCIL TURAMDIIH STORE UCIL TURAMDIIH MINES , PO-SUNDARNAGER , DIST-EAST SINGHBHUM,JAMSHEDPUR JHARKHAND Ph no : 8789648210	3	120

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**

**1. Scope of Supply**

Scope of supply (Bid price to include all cost components) : Only supply of Goods

**2. Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**3. Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1) Earnest Money Deposit.: Bidders who are not exempted for EMD as per GEM exemption rule, h as to upload scanned copy of EMD document along with bid and hard copy of the same must be s ent within 05 days of bid end date to the following address :

**Controller of Store & Purchase, Purchase Dept, Uranium Corporation of India Limited, Po: Jadu guda Mines, East Singhbhum, Jharkhand - 832102.**

2) Subsequent to bid opening, if it is found that bids submitted by related parties in w hich there seems to be collusion are liable to be rejected. Parties are considered to b e related if one party has the ability to control the other party or exercise significant i nfluence over the other party in making financial and / or operating decision

3) Material is required to be supplied on FOR-destination duly unloaded & insured basis.

#### 4. **Past Project Experience**

**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.**Proof for Past Experience and Project Experience clause:** For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

#### 5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

URANIUM CORPORATION OF INDIA LTD.  
payable at  
STATE BANK OF INDIA ,JADUGUDA ,BRANCH CODE 0227

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 6. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

URANIUM CORPORATION OF INDIA LTD.  
payable at  
STATE BANK OF INDIA ,JADUGUDA ,BRANCH CODE 0227

Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 7. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

URANIUM CORPORATION OF INDIA LTD.  
payable at  
STATE BANK OF INDIA ,JADUGUDA ,BRANCH CODE 0227

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

#### 8. **Inspection**

**Nominated Inspection Agency:** On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance:  
Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Not Required

Post Receipt Inspection at consignee site before acceptance of stores:  
carried out by concerned user at our store/site and it will be final and binding for supplier.

#### 9. **Generic**

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

#### 10. **Generic**

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

#### 11. **Generic**

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

## **Disclaimer/अस्वीकरण**

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the

case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

**---Thank You/धन्यवाद---**