

; jfu; e dkj kjsku vkw bfm; k fyfevsk] rayki Yyh  
 (Hkjr ljdkj dk l fku)  
 Mkd?kj% ekofpayki Yyh] vkwkizsk - 516 349

QSI / Fax : (08588) 282704

# URANIUM CORPORATION OF INDIA LIMITED

P.O. Mabbuchintalapalle, Vemula(M), Pulivendula, Dist: Y.S.R., Andhra Pradesh - 516 349

Look es/ To

இன்குயரி எண். / Enquiry No. 3/PE181209/1

Rkkjh[k / Date 22/10/2018

fu; r rkjh[k / Due Date 20/11/2018

Dear Sir,

Sl.No.	DESCRIPTION OF STORES	QUANTITY
1	'O'RINGS FOR FILTER ELEMENT,SIZE 22X3.5 ( )	30 No.
2	FILTER ELEMENT FOR DUPIEX FILTER HDF45 ELEMENT MODEL:ES45/500WM/30/E/N HE PART NO:500126. ( )	30 No.
<p>Refer:Annexure-1 for Part-1 (Pre Qualification Part),Annexure-2 NIT Terms &amp; Conditions,Annexure-3 PQC,Annexure-4 Price bid format,</p> <p>Note : Parties not registered with UCIL and interested in supply are required to submit their credential showing their status as Manufacturer/Distributors/Dealer with supporting documents for registration in UCIL.</p>		

Hkonh; / Yours faithfully

dʀs; iʃ; e dʀkji kʃku vʀ bʀm; k fyfevʀ

For URANIUM CORPORATION OF INDIA LIMITED

K.A. JOHN  
Asst Supdt (Civil)

## vuoqsk

1 di; k viusnj] fcuk vkøj jkbax@dkV&Nw/sval , oa' kCn eam) r djavk\$ fufonk l aHkz l q; k] fu/kkfjr frffk  
, oafufonkdj dsuke rFkk i rk fyf[kr nksi fr; kaeaeqjica i zrko fopkj kFkZ i zr q djaA

2 QBI @b&ey l sfufonk Lohdkj ughafd; stk, aSA

3 fof/k eku; rk % Hkko bl iNrkn dh rkjh[k l s90 fnu ; k vf/kd l e; rd fof/keku; gkaspkfg, A

4 l Ei wZ ca 'kqd ; fn dks gk\$ rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvkn; xh dh 'kr7 gksh] gekjshk.Mkj ij l kexz dh i klr rFkk Lohdfr dh rkjh[k l s30 fnukads  
Hkhrj ijh dher vnk dh tk, xh A

6 dher 'kr5% vki }kjk Hk\$ sx, eky xlr0; LFkku reykiYyh ij fu%' kqd l opkh dsvk/kkj  
ij gk\$ pkfg, A

7 dj % dj pph] mRiknu 'kqd vkfn dh fuf' pr nj tgl ol yh ; k\$ gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea  
, sh ol ry; kadsnkoi j fopkj ughafd; k tk, xk tc rd fd ; sfQj l su yxkbz tk; aA

8 ek=k % bl eanh xbZ l keku dh ek=k d\$y vuqfur gSA dzk bl eanh xbZ ijh ek=k dsfy, vkn\$ n\$dsfy, ck/;  
ughagSA ; fn m\$ r dher vaf' kd ek=k ij ykxw u gksrks, \$k fy[k\$A

9 ueqk % vxj ueu\$e\$stk, arksfcuk fd l h i kjk ds n\$sgk\$svk\$ bl g\$ fufonk nkrk dksyk\$; k tkuk vko'; d ugh  
gk\$ A

10 l opkh % ifyHkngk eabl dsvkl ikl vofLFkr i frdRrkvkadsgekjshk.Mkj reykiYyh ij l opkh dshko n\$  
pkfg, A

11 dzk dksdk\$ Hkh fufonk fcuk dks\$ dkj.k crk; sjn\$ djusrFkk iNrkn fd; sx, ek=k l sde dsfy, dz vkn\$  
n\$sd\$ vf/kdkj gSA

12 i pkfyr ljdkjh ifji= dsvuqkj i klfedrkh nh tk, xh A

### **Instructions**

- 1 Please quote your rate in figure and word without overwriting/cutting and submit your sealed offer in duplicate for consideration duly super scribed with tender reference no.,due date and bidder name and address.
2. FAX/e-MAIL offer will not be accepted.Offer should be send through registered/speed post/courier(DTDC or Professional )
3. Validity : Your quotation should be valid for 90 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Tummalapalle central stores.
7. Taxes: Specific rates of taxes,octroi,excies duty etc. where leviable should be shown separatley otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Pulivendula should quote F.O.R. delivery at our stores at Tummalapalle.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.