



**FORMAT FOR PRICE - BID**

<b>S.No</b>	<b>Material Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Basic Unit Price</b>	<b>Discount</b>	<b>ED</b>	<b>CST/VAT</b>	<b>P&amp;F</b>	<b>Freight</b>	<b>Other charges</b>	<b>Landed Cost</b>
6	Polyester Webbing Slings, Double eye load capacity:8T, Length of belt: 6 Meters. Make: Safe lift/ Betal/ Sling max/ Lift art/ Zebra/ Power tex.	10	No's								
7	Polyester Webbing Slings, Double eye load capacity:10T, Length of belt: 6 Meters. Make: Safe lift/ Betal/ Sling max/ Lift art/ Zebra/ Power tex.	10	No's								

**Special Instructions:**

Made from 100% Polyester Yarn

Safe Working Temperature (-) 40°C to (+) 180°C

Elasticity: 2.5 to 3%

Conforms to BS EN 1492-1:2000

Design safety factor (FOS) 5:1 to 7:1

Conformity through actual break load test/

Load test certificate needs to be produced during the supply.

Signature of supplier with seal

**FORMAT FOR PRICE - BID**

<b>S.No</b>	<b>Material Description</b>	<b>Qty</b>	<b>Unit</b>	<b>Basic Unit Price</b>	<b>Discount</b>	<b>ED</b>	<b>CST/VAT</b>	<b>P&amp;F</b>	<b>Freight</b>	<b>Other charges</b>	<b>Landed Cost</b>
-------------	-----------------------------	------------	-------------	-------------------------	-----------------	-----------	----------------	----------------	----------------	----------------------	--------------------