

**URANIUM CORPORATION OF INDIA LIMITED**

(A Government of India Enterprise)

P.O. Jaduguda Mines, Jharkhand - 832 102

Email : jadpur@uraniumcorp.in

i MRkkN / Enquiry

Lkok esTo

fykQkQai j ; g l aHkZfy [ka  
**QUOTE THIS REFERENCE ON THE COVER**

i MRkkN l @ / Enquiry No. 1/PE170730/8

Rkkjh [k / Date 01/06/2017

fu; r rkjh [k / Due Date 06/07/2017

egk' k; ]

di; k fuEufyf [kr l leku dh i frZdsfy, fn, x, gekjsi llusdsntwjh vks vuska dsvuokj vi usHko HksaA

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

Dz l @ Sl.No.	I leku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	280 WATT. 415V AC 3PHASE 50HZ RPM : 1350 AXIAL FAN EXTERNAL ROTOR RIVETED IMPELLAR TYPE : 18 AF 3B4/S4 AMPS : 0.6A OUTPUT : 3412 CFM FAN DIA : 446 MM FAN HEIGHT : 135 MM STATIC PRESSURE : 28 MM-WC MAKE : SUPERIOR ELECTRIC MACHINES PVT.LTD  1. Bidder Should submit their offer as per terms & conditions given under Annexure 1, 2 & 3 [ANNEXURE -1(Pre -Qualification Part), ANNEXURE-2(Techno-commercial Cum Price Part) & Annexure -3 (Pre- Qualification Criteria)] 2) Offer submitted in single part will be rejected. ()  NOTE : 1) CATALOGUE OF THE AXIAL FAN SHALL BE FURNISHED ALONG WITH OFFER. 2) DIMENSIONAL DETAILS OF THE FAN MUST BE FURNISHED ALONGWITH THE OFFER.	2 Number

vugXud

Enclosures

Hkonh; / Yours faithfully

drs; yfu; e dkjijksku vko/ bM; k fyfeVM

**For URANIUM CORPORATION OF INDIA LIMITED**

USHA MAHTO

Asst. Purchase Officer

vuošk

1 di; k viusnjšval , oa' k'n eam) r djšA

2 QBI @b&ey I sfufonk Lohdkj ughafd; stk, šsA

3 fof/k ekU; rk % Hkko bl i MrkN dh rkjh[k I s120 fnu ; k vf/kd I e; rd fof/kekU; gkšpfg, A

4 I Ei vZca 'k'od ; fn dksZgš rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvnk; xh dh 'krZgksh] gekjshk. Mkj ij I kexlz dh i klr rFkk Lohdfr dh rkjh[k I s30 fnukads Hkhrj ij dher vnk dh tk, xh A

6 dher 'krZ% vki }kjk Hkšsx, eky xlr0; LFku tknškk} ujoki gkM+, oarjjeMhg ij fu%' k'od I q'zh dsvk/kkj ij gkš pfg, A

7 dj % dj p'nh] mRiknu 'k'od vkfn dh fuf' pr nj tgmbl yh ; kš; gksvyx vyx fn[kkuh pfg, vU; Fkk ckn ea , šh ol fy; kadsnkokai j fopkj ughafd; k tk, xk tc rd fd ; sfQj I su yxkbZtk; šA

8 ek=k % bl eanh xbZl keku dh ek=k døy vuqfur gšA dšk bl eanh xbZi jv ek=k dsfy, vknš nšdsfy, ck/; ughagšA ; fn m} r dher v'k'od ek=k ij ykxvu gšrks, šk fy[kšA

9 ueqk % vxj uevšakst, arksfcuk fdI h i k'kij dšnšgkšvšjš blgšafufonk nkrk dšy'kš; k tkuk vko' ; d ugh gkš A

10 I q'zh % te' kšij eabl dsvkl ikl vofLFkr i fvdRrZ'kadsgekjshk. Mkj tknškk} ujoki gkM+, oarjjeMhg ij I q'zh dšHkko nšpfg, A

11 dšk dksdksZkh fufonk fcuk dksZdj.k crk; sjnš djusrFkk i MrkN fd; sx, ek=k I sde dsfy, dz vknš nšsdk vf/kdkj gšA

12 i pkyr I jdkjh ifji= dsvuqj i k'kfedrk nh tk, xh A

## **Instructions**

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/ Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.