

Rkkj%; Wyl tkngkkl- ekbUl
Cable : UCIL, Jaduguda Mines

; yfu; e dkjlkjsku vko/ bM; k fyfeVM] tkngkkl-
(Hkkjr ljdkj dk l BfkkU)
Mkd?kj% tkngkkl- ekbUl] >kj[k.M - 832 102

Qks / Phone : (0657)2730122
2730222/2730353

QSI / Fax : (0657) 2730322
(0657) 2731332

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)
P.O. Jaduguda Mines, Jharkhand - 832 102

Email: : jadpur@uraniumcorp.in

i MRkkN / Enquiry

Lkok esTo

fykQkQai j ; g l aHkZfy[ka
QUOTE THIS REFERENCE ON THE COVER

i MRkkN l @ / Enquiry No. 1/PE170646/1

Rkkjh[k / Date 26/06/2017

fu; r rkjh[k / Due Date 02/08/2017

egk' k;]

di; k fuEufyf[kr l keku dh i frZdsfy, fn, x, gekjsi lusdsntvjh vls vusks dsvuokj vi usHko Hk\$A

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	PLASTIC COVERED TWIN CORE FLEXIBLE COPPER WIRE SIZE:16/0.20 M, INSULATION GRADE: 1100V, COLOUR: RED & BLACK AS PER IS 694/1990 MAKE:NATIONAL/UNIVERSAL () Bidder should submit their offer as per terms & conditions given under Annexure 1, 2 & 3[ANNEXURE -1(Pre -Qualification Part), ANNEXURE-2(Techno-commercial Cum Price Part) & ANNEXURE -3 (Pre-Qualification Criteria)] OFFER SUBMITTED IN SINGLE PART WILL BE REJECTED.	500 Mtr

vugXud

Enclosures

Hkonh; / Yours faithfully

drs; yfu; e dkjlkjsku vko/ bM; k fyfeVM

For URANIUM CORPORATION OF INDIA LIMITED

USHA MAHTO

Asst. Purchase Officer

vuošk

1 di; k viusnjsval , oa' kñ eam) ñ djA

2 QBI @bZey I sfufonk Lohdkj ughafd; stk, aSA

3 fof/k ekU; rk % Hkko bl i MrkN dh rkjh[k I s120 fnu ; k vf/kd I e; rd fof/kekU; gkaspkfg, A

4 I Ei wZcA 'kQd ; fn dksZgk\$ rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvnk; xh dh 'krZgksh] gekjsHk. Mkj ij I kexlz dh i klr rFkk Lohdfr dh rkjh[k I s30 fnukads
Hkhrj i jv dher vnk dh tk, xh A

6 dher 'krZ% vki }kjk Hk\$ sx, eky xUr0; LFku tkn\$kk\$ ujoki gkM+, oarj eMhg ij fu% kQd I qpZh dsvk/kkj
ij gksk pkfg, A

7 dj % dj pñh] mRiknu 'kQd vkfn dh fuf' pr nj tgmbl yñ ; k\$, gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea
, sh ol fy; kadsnkoka i j fopkj ughafd; k tk, xk tc rd fd ; sfQj I su yxkbZtk; aA

8 ek=k % bl eanh xbZl keku dh ek=k døy vuqfur gSA dzk bl eanh xbZi jv ek=k dsfy, vkn\$ nssdsfy,
ck/;
ughagSA ; fn m} ñ dher vñ'kd ek=k ij ykxvu gksrks, \$k fy[kA

9 ueqk % vxj uevsa xstk, arksfcuk fdI h i kjk dsnasgk\$svk\$ blgafufonk nkrk dksy\$; k tkuk vko'; d ugh
gk\$ A

10 I qpZh % te'ksi j eabl dsvkl ikl vofLFkr i fvdRrZv kadsgekj\$Hk. Mkj tkn\$kk\$ ujoki gkM+, oarj eMhg
ij
I qpZh dshkko naspkfg, A

11 dzk dksdk\$Zkh fufonk fcuk dksZdkj.k crk; sjnñ djusrFkk i MrkN fd; sx, ek=k I sde dsfy, dz vkn\$
nssdk vf/kdkj gSA

12 i pkfyr I jdkjh ifji= dsvuqkj i kFfedrk nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.