

Rkkj%; Wyl tknqkkl- ekbl
Cable : UCIL, Jaduguda Mines

; yfu; e dkjijksku vko/ bM; k fyfeVn] tknqkkl-
(Hkkjr ljdkj dk l bFku)
Mkd?kj% tknqkkl- ekbl] >kj[k.M - 832 102

Qks / Phone : (0657)2730122
2730222/2730353

QSI / Fax : (0657) 2730322
(0657) 2731332

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

P.O. Jaduguda Mines, Jharkhand - 832 102

Email : jadpur@uraniumcorp.in

i MRkkN / Enquiry

Lk ok es To

FYkQkQai j ; g l aHkZfy [ka
QUOTE THIS REFERENCE ON THE COVER

i MRkkN l @ / Enquiry No. 1/PE170399/8

Rkkjh [k / Date 22/03/2017

fu; r rkjh [k / Due Date 19/04/2017

egk' k;]

di; k fuEufyf [kr l keku dh i frZdsfy, fn, x, gekjisi llusdsntwjh vks vupsk dsvuokj vi usHko HksaA

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

Dz l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	SINGLE PHASE PREVENTOR TYPE : K8DS - PH1 OPERATING VOLTAGE : 200- 480V 5 AMPS MAKE : ELGI 1. Bidder Should submit their offer as per terms & conditions given under Annexure 1, 2 & 3 [ANNEXURE -1(Pre -Qualification Part), ANNEXURE-2(Techno-commercial Cum Price Part) & Annexure -3 (Pre- Qualification Criteria)] 2) Offer submitted in single part will be rejected. ()	4 Number

vugXud

Enclosures

Hkonh; / Yours faithfully

drs; yfu; e dkjijksku vko/ bM; k fyfeVn

For URANIUM CORPORATION OF INDIA LIMITED

USHA MAHTO

Asst. Purchase Officer

vuošk

1 di; k viusnjšval , oa' k'n eam) r djšA

2 QBI @bZey I sfufonk Lohdkj ughafd; stk, šsA

3 fof/k ekU; rk % Hkko bl i MrkN dh rkjh[k I s120 fnu ; k vf/kd I e; rd fof/kekU; gkšpfg, A

4 I Ei vZca 'k'p ; fn dksZgš rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjšvnk; xh dh 'krZgksh] gekjšk. Mkj ij I kexz dh i klr rFkk Lohdfr dh rkjh[k I s30 fnukads Hkhrj ij dher vnk dh tk, xh A

6 dher 'krZ% vki }kjk Hkšsx, eky xlr0; LFku tknškk} ujoki gkM+, oarjjeMhg ij fu%' k'p I q'pZh dsvk/kkj ij gkš pfg, A

7 dj % dj p'nh] mRiknu 'k'p vkfn dh fuf' pr nj tgmbl yh ; kš; gksvyx vyx fn[kkuh pfg, vU; Fkk ckn ea , šh ol fy; kadsnkokai j fopkj ughafd; k tk, xk tc rd fd ; sfQj I su yxkbZtk; šA

8 ek=k % bl eanh xbZl keku dh ek=k d'ey vuqfur gšA dšk bl eanh xbZi jv ek=k dsfy, vknšk nšdsfy, ck/; ughagšA ; fn m} r dher v'k'kd ek=k ij ykxvu gšrks, šk fy[kšA

9 ueqk % vxj uevšakst, arksfcuk fdI h i k'kij dšnšgkšvšjš blgšafufonk nkrk dšy'kš; k tkuk vko' ; d ugh gkšk A

10 I q'pZh % te' kšij eabl dsvkl ikl vofLFkr i fvdRrZ'kadsgekjšk. Mkj tknškk} ujoki gkM+, oarjjeMhg ij I q'pZh dšHkko nšpfg, A

11 dšk dksdksZkh fufonk fcuk dksZdj.k crk; sjnš djusrFkk i MrkN fd; sx, ek=k I sde dsfy, dz vknšk nšsdk vf/kdkj gšA

12 i p'kyr I jdkjh ifji= dsvuqkj i k'kfedrk nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/ Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.