

URANIUM CORPORATION OF INDIA LTD.
(A Government of India Enterprises)
Tummalapalle Uranium Project
(P.O.) M. C. Palle, Vemula (M), YSR District, Andhra Pradesh – 516 349

Annexure-7
Page (1 of 3)

Item: Anionic Flocculant
Public Tender No. : TMPL/PUR/035/606/011

SUMMARY SHEET

The clauses of Specific terms & conditions (refer Annex-2) are given below. Please strike off whichever is not applicable and fill up Remarks line if 'Not accepted/not submitted'

1. Specifications of the offered material as per NIT: Yes/No
Remarks: _____
2. Clause 1 : Style of quotation as per clause : Complied/ Not Complied
Remarks: _____
3. Clause 2 : Part-I Techno Commercial Bid as per clause : Submitted/ Not submitted
Remarks: _____
4. Clause 3 : Part-II Price bid : Complied/ Not Complied
Remarks: _____
5. Clause 4 : Mode of submission of tender : Complied/ Not Complied
Remarks: _____
6. Clause 5 : Quantity offered : _____
Remarks: _____
7. Clause 6 : Delivery schedule : _____
Remarks: _____
8. Clause 7 : Price : Accepted/Not accepted
Remarks: _____
9. Clause 8 : Price Terms : Accepted/Not accepted
Remarks: _____
10. Clause 9 : Firm Price : Accepted/Not accepted
Remarks: _____
11. Clause 10 : Price variation : Accepted/Not accepted
Remarks: _____
12. Clause 11: Payment terms : Accepted/Not accepted
Remarks: _____
13. Clause 12 : Test report & weighment : Accepted/Not accepted
Remarks: _____

URANIUM CORPORATION OF INDIA LTD.

(A Government of India Enterprises)

Tummalapalle Uranium Project

(P.O.) M. C. Palle, Vemula (M), YSR District, Andhra Pradesh – 516 349

Annexure-7

Page (2 of 3)

Item: High Chrome Steel Grinding Media Balls 50 mm Ø

Public Tender No. : TMPL/PUR/035/606/011

14. Clause 13: Weightage factor : Accepted/Not accepted :

15. Clause 14: Validity : Accepted/Not accepted

Remarks: _____

16. Clause 15: Earnest money deposit : Submitted/Not submitted

Remarks: _____

17. Clause 16: Security deposit : Accepted/Not accepted

Remarks: _____

18. Clause 17: Bank guarantee : Accepted/Not accepted

Remarks: _____

19. Clause 18:

a) Tenderer should be reputed Manufacturer/authorised dealer/
trader/importer : Specify your category _____

b) Minimum offered quantity should be 20 MT -- Complied or Not

c) Current valid documents as Anionic Flocculant supplier -- Submitted or Not

d) Valid documents as Manufacturer/dealer/importer -- Submitted or Not

e) Purchase order copies as per clause -- Submitted or Not

f) 25 gms. Of sample along with leaflet -- Submitted or Not

g) In case of importer, copies of Bill of Entry etc. -- Submitted or Not

h) Product leaflet -- Submitted or Not

i) Only solid powder flocculant is acceptable -- Complied or Not -

20. Clause 20: Agreed liquidity damages : Accepted/Not accepted

Remarks: _____

21. Clause 21: Risk purchase : Accepted/Not accepted

Remarks: _____

22. Clause 22: Cancellation of order : Accepted/Not accepted

Remarks: _____

23. Clause 23: other terms & conditions as in Instructions to tenderer and General
conditions of contract : Accepted/Not accepted

Remarks: _____

URANIUM CORPORATION OF INDIA LTD.
(A Government of India Enterprises)
Tummalapalle Uranium Project
(P.O.) M. C. Palle, Vemula (M), YSR District, Andhra Pradesh – 516 349

Annexure-7
Page (3 of 3)

Item: Anionic Flocculant
Public Tender No. : TMPL/PUR/035/606/011

24. Tender document fees submitted : Yes/No

Remarks: _____

25. Copy of tender document duly signed on

Every page submitted : Yes/No

Purchase order details as submitted against clause No. 19 (e):

Sl. No.	Name of the Buyer	Purchase Order No.	PO Date	PO Quantity (in MTs)
1.				
2.				
3.				
4.				

LIST OF DOCUMENTS ATTACHED WITH OFFER

1. _____
2. _____
3. _____
4. _____

Signature of the tenderer with seal