

Schedule of Quantity for: “Annual maintenance civil works at Turamdih Township.”

N. I. T No. TMD/MIN - 696

[P R I C E P A R T]

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
1	Earth work in excavation in foundation trenches, pits or drains not exceeding 1.5 Mtr in depth, 2 Mtr in width as well as 10 Sq.m on plan including clearing of bushes and shrubs from ground level including trimming dressing of sides and ramming of bottoms, lift upto 1.5 Mtr including dewatering getting out the excavated soil and disposal of surplus excavated soil within a lead of 100 m including cost of all materials, labour, tools and tackles etc. as per drawings, specifications and directions of Engineer-in-charge. a) Ordinary/ dense soil mixed with gravels / rock fragments / loose waste	135.00	CUM			
2	Earth work in back filling with available earth including watering and compaction at all elevations around foundations, walls, wells, tunnels, pits, culverts trenches, road approaches and in plinth filling and area filling as per specifications and drawings and as directed by the engineer-in-charge with selected spoils within a lead of 100 Mtr. (filling in layers not exceeding 250 mm in loose thickness, watered as necessary, each layer of filling to be compacted to achieve a dry density of not less than 95% of proctor density including cost of all materials, labour, tools and tackles etc.	200.00	CUM			
3	Supply, mix place in position compact & cure cement concrete 1:3:6 (1 Cement: 3 coarse sand: 6 graded stone aggregate 20mm nominal size) below foundations, walls, wells, pits, trenches etc. as per specifications, drawings and directions of the Engineer -in-charge including cost of all materials, labour, tools and tackles etc. including cost of cement, centering and shuttering.	30.00	CUM			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)	20.00	CUM			
5	Providing and laying damp proof course 40 mm thick with 20 mm nominal size stone aggregate cement concrete flooring 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 12.5 nominal size)	75.00	Sqm			
6	Supply, mix place in position compact & cure including testing of concrete specimens, finishing surfaces as per specifications, drawings and directions of the Engineer with nominal mix 1:1.5:3 (1 cement :1.5 coarse sand: 3 graded stone aggregate 20mm nominal size) including cost of all materials, labour but including cost of shuttering, cement and reinforcement. a) In foundation/plinth	30.00	CUM			
7	Providing dismantle and remove the form work of approved quality including splay, recess, corners, haunch etc. scaffolding including required staging and supporting etc and necessary rendering of concrete surfaces after exposure at all elevations for all types of work with plywood shuttering including cost of all materials, labour, tools and tackles etc. complete as per specifications, drawings and directions of Engineer-in-charge.	260.00	Sqm			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
8	Supply, bend, bind and place the following types of reinforcement in all types of reinforced concrete work at all elevations, including cleaning, straightening, cutting bending and binding steel with 18 SWG annealed wire or with welding such as tack, lap, but etc. with approved electrodes, providing concrete cover blocks, pins, chairs, nails, supports of reinforcement with all materials, labour tools and tackles complete as per drawings, specifications and directions of Engineer-in-charge but including cost of reinforcement steel Tor/Mild steel.	800.00	KG			
9	Supply and laying in position brick work with designate 75 bricks (compressive strength not less than 75 Kg/Sq.cm) in foundation, trench and upto plinth in cement-coarse sand mortar (1:6) including mixing mortar, laying bricks, raking joints, curing etc. complete with all materials and labour but including cost of cement as per drawings and specifications.	20.00	CUM			
10	Supply and laying in position brick work with designate 75 bricks (compressive strength not less than 75 Kg/Sq.cm) in super structure at various elevations in cement-coarse sand mortar (1:6) including mixing mortar, laying bricks, raking joints, curing etc complete with all materials and labour but including cost of cement as per drawings and specifications.	30.00	CUM			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
11	Half brick masonry with bricks of class designation 75 in cement mortar 1:4 91 cement: 4 coarse sand with standard netting at every fourth layer in superstructure above plinth at all elevations, including curing complete as per drawings, specifications and direction of E. I. C including cost of all materials, labour, tools and tackles etc. but including cost of cement.	50.00	CUM			
12	Random rubble masonry with hard stone in foundation and plinth including leveling up with cement concrete 1 : 6 : 12 (1 cement : 6 coarse sand : 12 graded stone aggregate 20 mm nominal size) at plinth level with cement mortar 1 : 6 (1 cement : 6 coarse sand)	35.00	CUM			
13	Providing and fixing 30 mm thick panelled and glazed shutters for doors, windows and clerestory windows including black enameled M. S butt hinges with necessary screws including, panelling 12 mm thick ply board boiling water proof phenol formal dehyde bonded ply wood.. Klin seasoned and chemically treated hollock wood	30.00	Sqm			
14	a) Providing and fixing 12 mm thick panelling or panelling and glazing in panelled or panelled and glazed shutters for doors, windows and clerestory windows.	30.00	Sqm			
	b) Providing & fixing 25 mm thick flush door shutter non-decorative type, core block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters as per the direction of E. I. C	30.00	Sqm			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
	c) Providing & fixing 30 mm thick flush door shutter non-decorative type, core block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters as per the direction of E. I. C	50.00	Sqm			
15	a) Providing and fixing curtain rods of 1.25 mm thick chromium plated brass plate, with two chromium plated brass brackets fixed with C. P brass screws and wooden plugs etc, with 12 mm dia	75.00	Mtr			
	b) Providing and fixing curtain rods of 1.25 mm thick chromium plated brass plate, with two chromium plated brass brackets fixed with C. P brass screws and wooden plugs etc, with 20 mm dia	30.00	Mtr			
16	Providing and fixing M. S pressed bright finished butt hinges with necessary screws etc. complete: 125 x 65 x 2.12 mm (heavy type)	100.00	Each			
17	Providing & fixing oxidized M. S Tower bolts (barrel tpe) with necessary screws etc. including dismantling of damaged tower bolt, if required . Including cost of all materials, labour, tools and tackles etc. complete as per specifications and directions of Engineer-in-charge a) 250 x 10mm	50.00	Each			
	b) 150 x 10 mm	30.00	Each			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
18	Providing & fixing M. S handles with necessary screws etc. including dismantling of damaged handles, if required disposal of rubbish upto a distance of 50 Mtr. Including cost of all materials, labour, tools and tackles etc. complete as per specifications and directions of Engineer-in-charge 125mm long.	80.00	Each			
19	Providing and fixing oxidised M.S casement stays (straight peg type) with necessary screws etc complete with 300 mm weighing not less than 200 gms.	75.00	Each			
20	Providing & fixing M. S. handles for steel windows with 150 mm as per specifications and directions of E.I.C.	100.00	Each			
21	Providing & fixing bright finished brass parliamentary hinges with necessary screws etc. complete as per specifications and directions of Engineer-in-charge 125 x 125 x 75 x 5	8.00	Each			
22	Providing and fixing bright finished Brass door latch with necessary screws etc completed size 300 x 16 x 5 mm (sliding door bolt)	2.00	Each			
23	Providing & fixing oxidized Aluminium Tower bolts (barrel tpe) with necessary screws etc. including dismantling of damaged tower bolt, if required . Including cost of all materials, labour, tools and tackles etc. complete as per specifications and directions of Engineer-in-charge a) 250 x 10mm	8.00	Each			
	b) 150 x 10 mm	8.00	Each			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
24	Providing & fixing oxidised 300 x 16 M. S sliding door bolts with necessary screws etc. including cost of all materials, labour, tools and tackles etc complete as per specifications and directions of Engineer-in-charge.	50.00	Each			
25	Providing and fixing 50 mm bright finished brass cup board or wardrobe knob with necessary screws as per specifications and directions of Engineer-in-charge	40.00	Each			
26	Providing and fixing bright finished brass handles with necessary screws as per specifications and directions of Engineer-in-charge 125 mm	8.00	Each			
27	Providing and fixing bright finished brass floor door stopper with necessary screws etc. complete as per specifications and directions of Engineer-in-charge	100.00	Each			
28	Providing and fixing bright finished brass hydraulic door closer with necessary screws etc. complete as per specifications and directions of Engineer-in-charge	10.00	Each			
29	Providing and fixing bright finished brass casement window fasteners of minimum weight 200 grams to side hung steel windows with necessary welding and machine screws etc as per specifications and directions of EIC.	38.00	Each			
30	a) Providing and fixing bright finished brass peg stays 300 mm long of minimum weight 330 grams to side hung steel windows with necessary welding and machine screws etc complete.	38.00	Each			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
	b) Providing and fixing steel glazed doors, windows and ventilators of standard rolled steel sections, joints mitred and welded with 15 x 3 mm lugs, 10 cm long, embedded in cement concrete blocks 15 x 10 x 10 cm of 1 : 3 : 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as required, including providing and fixing of glass panes with glazing clips 3.5 mm thick plain and special metal sash putty of approved make complete including applying a priming coat of approved steel primer; excluding the cost other fittings window side hung.	300.00	Kg			
31	a) Supply , fabricate, transport and erect structural steel work like angle, channel, joist pipes plates sheets etc including all necessary connection materials and connections (including welding and bolting, nuts, washers, gussets etc complete) with 2 coats of 1st quality synthetic enamel paint over a coat of approved steel primer (ready mixed paint conforming to IS:2074) as per drawings, specifications and directions of the Engineer-in-charge including cost of all materials, labour, tools and tackles etc but including cost of all structural steel/rails/pipes/plates/channels etc.	1500.00	Kg			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
	b) Providing and fixing angle T-iron frames for doors, windows and ventilators of mild steel Tee-sections, joints mitred and welded with 15 x 3 mm lugs 10 cm long embedded in cement concrete blocks 15 x 10 x 10 cm of 1 : 3 : 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) or with wooden plugs and screws or rawl plugs and screws or with fixing clips or with bolts and nuts as require including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer.	1000.00	Kg			
32	40 mm thick with 20 mm nominal size stone aggregate cement concrete flooring 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement including cement slurry, but including the cost of nosing of steps etc complete as per specifications and directions of Engineer-in-charge.	100.00	Sqm			
33	18 mm thick cement plaster skirting (upto 30 cm hieght) with cement mortar 1 : 3 (1 cement : 3 coarse sand) finished with a floating coat of neat cement.	75.00	Sqm			
34	40 mm thick Marble chips flooring/skirting rubbed and polished to granolithic finish, top layer 9 mm thick with white, black, chocolate, grey, yellow or Baroda green marble chips of sizes for smallest to 4 mm nominal size laid in cement marble powder mix 3 : 1 (3 cement : 1 marble powder) by weight in proportion of 4 : 7 (4 cement marble powder mix : 7 marble chips).	37.00	Sqm			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
35	Marble chips skirting with medium shade pigment with 50% white cement and 50% ordinary cement rubbed and polished to granolithic finish, top layer 6 mm thick with white, black, chocolate, grey, yellow or Baroda green marble chips of sizes from smallest to 4 mm nominal size laid in cement marble powder mix 3 : 1 (3 cement : 1 marble powder) by weight in proportion of 4 : 7 (4 cement marble powder mix : 7 marble chips) by volume.	15.00	Sqm			
36	Providing & fixing 1st quality ceramic glazed tiles of minimum thickness 5 mm in skirting, risers of steps and dado floor on 12 mm thick cement plaster 1 : 3 (1 cement : 3 coarse sand) and jointed with white cement slurry and matching pigments etc.	150.00	Sqm			
37	Providing C. G. I sheet roofing (TATA make) fixed with G. I J or L hooks, bolts and nuts 8 mm diameter with bitumen and G. I limpet washers or with G. I limpet washers filled with white lead and including and coat of approved steel primer and two coats of approved paint on overlapping of sheets complete with 0.8 mm thick with zinc coating not less than 275 gm/Sq.m	23.00	Sqm			
38	Providing, fixing on wall face S. C. I soil rain water pipes including M. S holder bat clamps nails and all fittings and jointing with span yarn, soaked in neat cement slurry and cement mortar 1 : 2 (1 cement : 2 fine sand) including two coat of synthetic enamel painting over a coat of primer 100 mm dia	75.00	Mtr			

N. I. T No. TMD/MIN-696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
39	Providing and fixing M. S holder bat clamps of approved design to C. I or S. C. I rain water pipes embedded in and including cement concrete blocks 10 x 10 x 10 cm of 1 : 2 : 4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and cost of cutting holes and making good the walls etc with 150 mm diameter	100.00	Nos.			
40	15 mm thick (minimum) plastering with 1:6 (1 cement:6 coarse sand) to walls, channels in roof and other structures at various elevations including demolishing old plaster (if require), mixing, laying finishing, curing and necessary scaffolding work complete as per drawings, specifications and instructions of the Engineer with all materials and labour but including cost cement.	1000.00	Sqm			
41	6mm thick cement plaster 1 : 3 (1 cement : 3 fine sand) in ceiling.	200.00	Sqm			
42	Neat cement punning including curing as per directions of Engineer-in-charge including cost of all labour, tools and tackles etc. but including cost of cement.	375.00	Sqm			
43	Distempering with 1st quality acrylic washable distemper of approved manufacturer and of required shade and colour complete as per specifications and instructions of the EIC	3375.00	Sqm			
44	Applying one coat of cement primer of approved brand and manufacture on wall surface as per specifications and directions of EIC	1500.00	Sqm			

N. I. T No. TMD/MIN -696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
45	Providing and applying plaster of paris putty/branded ready mix wall putty of 2mm thick over plaster surface to prepare the surface even and smooth complete including cleaning of old surface and disposal of rubbish upto 150m lead.	700.00	Sqm			
46	a) Painting with Borolac Polyurethane enamel paint (Jenson & Nicholson make) in all shades to give an even shade including cost of all materials and labour on New work (two or more coats) as per directions of Engineer-in-charge.	700.00	Sqm			
	b) Supplying and applying three (3) coats of white wash over new work at various elevations including preparation of surfaces, cleaning etc. complete with all materials, labour, tools and tackle etc., scaffolding work as per specifications and directions of Engineer-in-charge COMPOSITION i) Water @ 5 litres per Kg of lime for making cream. ii) Fevicol DDI @ 4 gm. Per litre of lime cream. iii) Robin Blue @ 2gm. Per Kg lime.	6000.00	Sqm			
	c) Supplying and applying three (3) coats of water proof cement paint of approved brand and manufacture to exterior surfaces of concrete, masonry, plastered surfaces etc. at all elevations including preparation of surfaces by scraping and necessary scaffolding work etc.. complete including cost of all materials, labour, tools and tackle etc., complete as per drawings, specifications and directions of engineer-in-charge. (Application of paint should be made as per manufacturer's specifications).	3500.00	Sqm			

N. I. T No. TMD/MIN -696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
47	Renewing glass panes, with putty and glazing clips and a coat of synthetic enamel painting or as per specifications and directions of EIC 4.00 mm thick	80.00	Sqm			
48	Providing and fixing M. S fan clamp type 1 of 16 mm dia M. S bar bent to shape with hooked ends in R. C. C slabs during laying including cutting RCC slab and making good painting the exposed portion of loop all as per standard design complete.	12.00	Nos.			
49	Demolishing brick work/stone masonry including stacking of serviceable materials in our departmental store and disposal of unserviceable materials within 100 Mtr lead.	8.00	CUM			
50	Demolishing of RCC work of any mix by mechanical means (paving breaker) including straightening of existing steel reinforcement and stacking of steel bars and disposal of unserviceable materials lead upto 100M including cost of all tools, tackles and labour charges etc complete as per directions of EIC.	8.00	CUM			
51	Making plinth protection 50mm thick of cement concrete 1 : 3 : 6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size) over 75 mm bed of dry brick ballast 40 mm nominal size well rammed and consolidated and grouted with fine sand including finishing the top smooth.	150.00	Sqm			
52	Painting road surface marking with adequate no. of coats to give uniform finish with ready mixed road marking paint confirming to IS : 164, on bituminous surface in white/yellow shade including cleaning the surface of all dirt, scales, oil, grease and foreign material etc. complete for new work.	220.00	Sqm			

N. I. T No. TMD/MIN -696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
53	Providing and fixing white vitreous china water closet squatting pan Indian type w. C pan with 100 mm sand cast iron P or Strap 10 litres low level P. V. C flushing cistern of approved make with fittings and C. I/M. S brackets 32mm dia flush pipe with fittings and clamps, overflow arrangement with specials and mosquito proof coupling of approved design complete including cutting and making good the walls and floors where required jointing w. C pan and trap with m-seal all complete as per directions of EIC, Orissa pattern of size 580 mm long.	19.00	Nos.			
54	Providing and fixing white vitreous china pedestal type water closet squatting pan European type w. C pan with 100 mm sand cast iron P or Strap 10 litres low level P. V. C flushing cistern of approved make with fittings and C. I/M. S brackets 40mm dia flush pipe with fittings and clamps, overflow arrangement with specials and mosquito proof coupling of approved design complete including cutting and making good the walls and floors where required jointing w. C pan and trap with m-seal all complete as per directions of Engineer-in-charge.	6.00	Nos.			
55	Providing and fixing white vitreous china wash basin with C. I/M. S brackets, 15 mm C. P brass pillar taps, 32 mm C. P brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls. Flat back wash basin 550 x 400 mm with single 15 mm C. P brass pillar tap.	6.00	Nos.			

N. I. T No. TMD/MIN -696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
56	Providing and fixing white vitreous china kitchen sink including C. P waste G. I pipe and making all connections of size 600 x 450 x 200 mm	20.00	Nos.			
57	Providing and fixing draining board with C. I/M. S brackets including painting of brackets, cutting and making good the walls with white glazed fire clay draining board of size 600 x 450 x 25 mm	3.00	Nos.			
58	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete. 10 litre capacity - White	80.00	Nos.			
59	Providing and fixing controlled flush, low level cistern made of vitreous china with all fittings complete 10 litre (full flush) capacity-white	2.00	Nos.			
60	Providing lead chaulked/M. Seal joints to sand cast iron/centrifugally cast (spun) iron pipes and fittings of diameter: a) 75 mm	100.00	Each			
	b) 100mm	100.00	Each			
61	Providing and fixing P. V. C waste pipe for sink or wash basin including P. V. C waste fittings complete as per the direction of EIC a) Waste pipe 32 mm dia	100.00	Each			
	b) Waste pipe 40mm dia	100.00	Each			

N. I. T No. TMD/MIN -696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
62	Providing and fixing 100mm sand cast iron grating for gully trap	37.00	Nos.			
63	Providing and fixing brass bib cock of approved quality :15mm nominal bore	150.00	Nos.			
64	Providing and fixing 600 X 450mm beveled edge mirror of superior glass 6 mm thick of approved quality complete with 6 mm thick hard board ground fixed to wooden cleats with C. P brass screws and washers. Make :MODI GLASS	20.00	Nos.			
65	Providing & fixing PTMT liquid soap container 109mm wide, 125mm high & 112mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour weighing not less than 105 gms	4.00	Nos.			
66	Providing and fixing soil, waste and vent pipes, 100 mm dia	18.00	Mtr			
67	Grading roof for water proofing treatment with including cost of all materials, labour, tools and tackles etc. complete as per specifications and directions of Engineer-in-charge. a) Cement concrete 1 : 2 : 4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size).	15.00	CUM			

N. I. T No. TMD/MIN -696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
68	Providing & fixing G. I pipes TATA/Jindal make medium grade (internal & external) complete with G. I fittings like bend. 'T' union etc clamps including making chase in walls and making good the wall after housing G. I pipes or trenching and refilling as necessary, apply a coat of zinc chromate primer for concealed pipes and two coats of synthetic enamel paint over a coat of zinc chromate primer for exposed pipes and pipes below G. I to be painted with two coat of anti corrosive bitumastic paint of approved brand and manufacturer and necessary hydrostatic tests etc complete as per specification and the direction of the EIC.					
	a) 15 mm dia	100.00	RM			
	b) 20 mm dia	8.00	RM			
	c) 25 mm dia	100.00	RM			
	d) 32 mm dia	8.00	RM			
	e) 40 mm dia	11.00	RM			
69	Providing and fixing C. P brass bib cock (Alto / EMCO / ARK / Jaquar) 15 mm dia.	200.00	Nos.			
70	Providing and fixing C. P brass stop cock 1/2" dia Altomake or approved brand a) 15 mm dia Stop cock	38.00	Nos.			

N. I. T No. TMD/MIN -696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
71	Providing & laying pressed clay tiles (as per approved pattern 20mm nominal thickness and of approved size) on roofs jointed with cement mortar 1 : 4 (1 cement : 4 coarse sand) mixed with 2% integral water proofing compound lad over a bed of 20mm thick cement mortar 1 : 4 (1 cement : 4 coarse sand) and finished neat complete.	50.00	Sqm			
72	Providing and fixing of best quality mosaic kitchen sink 600 x 450 x 250 mm of approved make 1 No. with 15 mm dia brass bib cock, 40 mm C. P Brass best coupling with 400 mm G. I best pipe upto 750 mm long including cost of dismantling of old sink and removing of rubbish upto distance 50 m, cutting and making good the walls wherever required etc complete as per direction of EIC.	20.00	Nos.			
73	Providing and fixing best quality Mosaic draining board 600 x 450 x 25 mm, with necessary R. S or C. I brackets, including painting the fittings, cutting and making good the walls wherever required, all materials, labour, tools and tackles etc. complete	15.00	Nos.			
74	Removing of chock by opening and re-fixing of grating of bathroom/toilet/kitchen including cost of tool, tackles and labour all complete as per the direction of EIC.	750.00	Nos.			

N. I. T No. TMD/MIN -696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
75	Cleaning of silt, algae and fungus etc. from bottom & wall surface of overhead tanks of office/residential buildings and underground tanks at Turamdih, taking out and removal rubbish/materials obtained from cleaning to a lead of 50 mtr including cost of tools, tackles and labour complete as per directions of engineer-in-charge. (Floor area and wall surface area upto bottom level of over flow pipe will be measured)	1000.00	Sqm			
76	Repairing of steel window by providing necessary hinges/pivots, cutting & welding of necessary standard rolled steel section including renewal of glass pans, glass putty, glazing pine etc all complete including all materials labour tools and tackles.	45.00	Nos.			
77	Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks of class designation 75 and S. W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With F. P. S. bricks	3.00	Each			
78	Cleaning septic tank, removing all sludge/dirt/water and disposal the same up to a lead of 200 m and buried the same in earth pit with 1 m earthen cushion including all materials labours tools and tackles, (no extra payment will be made for making earth pit, removal and refixng of manholes) inner volume of septic tank will be measure for payment.	10.00	CUM			
79	Maintenance of C. P pillar cock/C. P pillar stop cock /Bib cock by providing of rubber washer including cost of tools, tackles and labour all complete as per direction of EIC	375.00	Nos.			

N. I. T No. TMD/MIN –696

Item No.	Description of item	Qty	Unit	Rate Rs. P	Rate in words	Amount Rs. P
80	Maintenance of bib cock/stop cock/by providing washers including cost of tools, tackles and labour all complete as per the direction of Officer-in-charge.	450.00	Nos.			
81	Providing and fixing 0.5 mm thick aluminium sheet in door including cost of all materials, labour, tools and tackles etc. complete as per specifications and directions and direction of Engineer-in-charge.	100.00	Sqm			
82	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete with 15mm nominal bore	15.00	Nos.			
83	Providing and fixing PTMT bib cock of approved quality and colour 15 mm nominal bore, 122mm long. Weighing not less than 99 grms	100.00	Nos.			
84	Providing and fixing unplasticised P.V.C. connection pipe with PTMT Nuts collar and bush of approved quality and colour with 15 mm nominal bore with 30cm length.	36.00	Nos.			
	Total					
	Rebate if any in words(_____)				%	
	Grand Total					

Grand Total in words _____

Note:-

1. All items rates must be written in figures and words without which tenders are liable to be rejected.
2. All the pages of tender document must be duly signed by tenderer along with their seal.
3. Overall rebate, if any must be quoted in the above column only and written elsewhere shall not be considered.
4. Conditional tender submitted by the tenderer will be summarily rejected without any prejudice, hence tenderer are advice to quote their rates as per N. I. T conditions.
5. The Quoted rate should be inclusive of all taxes and duties including Service Tax

Signature with seal