

**URANIUM CORPORATION OF INDIA LIMITED**  
**P.O.M.C.PALLI, DR.YSR DT, ANDHRAPRADESH-516349.**  
**PHONE NO.08588-282766,E-mail-tmplpur@ucil.gov.in**

**CORRIGENDUM-I**

1. The following tender has been cancelled as mentioned below.

| Sl.No | Description  | Tender No.   | Remarks  |
|-------|--|--------------|--|
| 1     | Indoor Voltage<br>transformer with<br>PT Fuses of 3.15<br>A rating | 1/PE200200/1 | <b>FOR:</b> Tender opened<br><b>READ:</b> Tender cancelled |



[M.VENKATA NARENDRA]

Addl.Supdt [IE/Pur]

**URANIUM CORPORATION OF INDIA LIMITED**  
**P.O.M.C.PALLI, DR.YSR DT, ANDHRAPRADESH-516349.**  
**PHONE NO.08588-282766,E-mail-tmplpur@ucil.gov.in**

**CORRIGENDUM-II**

1. The following tender has been cancelled as mentioned below.

| Sl.No | Description                      | Tender No.   | Remarks  |
|-------|----------------------------------|--------------|--|
| 1     | Glass Filled<br>PTFE Gasket roll | 2/PE200014/1 | <b>FOR:</b> Part –I Tender opened<br><b>READ:</b> Tender cancelled |



(C.MATHIVANAN)

Chief Controller of Purchase




**URANIUM CORPORATION OF INDIA LIMITED**  
**P.O.M.C.PALLI, DR.YSR DT, ANDHRAPRADESH-516349.**  
**PHONE NO.08588-282766,E-mail-tmplpur@ucil.gov.in**

**CORRIGENDUM-I**

1. The following tender has been cancelled as mentioned below.

| Sl.No | Description | Tender No.   | Remarks   |
|-------|-------------|--------------|---|
| 1     | Lab apron   | 2/PE200176/1 | FOR: Part-I Tender opened<br>READ: Tender cancelled |

  
[M.VENKATA NARENDRA]  
Addl.Supdt [IE/Pur]

**URANIUM CORPORATION OF INDIA LIMITED**

**P.O.M.C.PALLI, DR.YSR DT, ANDHRAPRADESH-516349.**

**PHONE NO.08588-282766,E-mail-tmplpur@ucil.gov.in**

**CORRIGENDUM-I**

1. The following tender has been cancelled as mentioned below.

| Sl.No | Description      | Tender No.   | Remarks  |
|-------|------------------|--------------|--|
| 1     | Barricading tape | 2/PE200174/1 | FOR: Part -I Tender opened<br>READ: Tender cancelled |



**[M.VENKATA NARENDRA]**

**Addl.Supdt [IE/Pur]**