

तार : यूसील, जादुगोड़ा माइन्स
Cable : UCIL, Jaduguda Mines

PR# List

1. 1/PR180515

यूरेनियम कारपोरेशन ऑफ इंडिया लिमिटेड, जादुगोड़ा
(भारत सरकार का संस्थान)

डाकघर : जादुगोड़ा माइन्स, झारखण्ड-832 102

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)

P.O. Jaduguda Mines, Jharkhand - 832 102

पूछताछ / Enquiry

फोन / Phone : (0657) 2730122
2730222, 2730353

फैक्स / Fax : (0657) 2730322
(0657) 2731332

E-mail : jadpur@uraniumcorp.in

सेवा में / To

लिफाफे पर यह संदर्भ लिखें
QUOTE THIS REFERENCE ON THE COVER

2/PE171189/1

पूछताछ सं० / Enquiry No.

तारीख / Date

17/10/2017

नियत तारीख / Due Date

30/11/2017

महाशय,

कृपया निम्नलिखित सामान की पूर्ति के लिए दिए गए हमारे पन्ने के दूसरी ओर अनुदेशों के अनुसार अपने भाव भेजें। अपने भाव भंडार "क्रय विभाग" को उपयुक्त पते पर नियत तारीख से पूर्व डाक द्वारा भेजें।

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below. The quotation should be posted to the "Purchase Department" at the above address to reach before the due date.

क्रम सं० Sl. No.	सामान का नाम / DESCRIPTION OF STORES	मात्रा QUANTITY
	Please refer the attached annexure for materials' details	
Note : 1. Please quote your rate in figure and word without overwriting / cutting and submit your offer in duplicate for consideration. 2. FAX OFFER WILL NOT BE ACCEPTED. 3. Your offer should be valid for minimum 90 days. 4. Entire Bank charges, if any will be borne by you. 5. Our terms of payment will be full within 30 days from the date of Receipt & acceptance of materials.		

अनुलग्नक
Enclosures


Annexure:A, 1, 2 & 3.

CC To:

File

भवदीय / Yours faithfully

कृते यूरेनियम कारपोरेशन ऑफ इंडिया लिमिटेड
For URANIUM CORPORATION OF INDIA LIMITED


AKHIL RAJ

Annexure:A for PE# 2/PE171189/1

Sl.No.	Material Code	Material Description	Quantity	Unit
		<u>Annual requirement of pH,Reference and Metallic Electrode:-</u>		
1	400026002088	PH Glass Electrode, Range: 0-14 pH to be attached with 5 mtrs of Teflon Shielded Cable without connector.	120	No.
2	400026002093	Combined Gel filled Metallic Electrode for measuring Millivolt. To be attached with 5 mtrs. Of Teflon shielded cable without connector.The tip of the Platinum electrode shall be minimum 6mm diameter.	120	No.
3	400026002095	Combined Gel filled PH Electrode.Range : 0 - 12 PH. To be attached with 5 mtrs. Of Teflon shielded cable without connector.	240	No.
4	400026002102	Platinum Metallic Electrode for measuring Millivolt. To be attached with 5 mtrs. Of Teflon shielded cable without connector.	24	No.
5	400026002105	PH reference Electrode. To be attached with 5 mtrs. Of Teflon shielded cable without connector. Electrodes should have side arm facility for KCL refilling.	120	No.

Delivery Schedule for the items will be as follows:-

Item No.	Electrode	Delivery Schedule
1	PH Glass Electrode	10 nos. per month
2	PH Reference Electrode	10 nos. per month
3	Platinum Metallic Electrode	6 nos. per month
4	PH Gel filled combined Electrode	20 nos. per month
5	Combined Gel filled Metallic Electrode	10 nos. per month

1. Bidder Should submit their offer as per terms & conditions given under Annexure 1, 2 & 3[ANNEXURE -1(Pre -Qualification Part) ,ANNEXURE-2(Technocommercial Cum Price Part) & Annexure -3 (Pre-Qualification Criteria)]

2. Please do not send your offer in hard copy. Bidder should submit their offer through our website i.e. www.uraniumcorp.in or www.tenderwizard.com/UCILEPROC only.

3. The quantities mentioned are for annual requirement and the rates to be quoted by the party should be valid for one year.

4. For PH Glass Electrode & PH Reference Electrode the combined price of the both shall be the deciding factor for L1 Vendor. So for these two types of Electrodes order shall be placed to be same party.

5. Our application is online measurement by dipping the electrodes inside process tanks so the parties must ensure that the top of their electrodes (cable entry area) is properly sealed.

6. The electrodes should be supplied in the first week of every month according to the quantity mentioned in the delivery schedule.

7. The quantities mentioned in the enquiry may vary during placement of order.


(Akhil Raj)
Dy. Supdt. (Mech/Purchase)