

Rkkj%; Wyl tknqkkl+ ekbUl
Cable : UCIL, Jaduguda Mines

; yfu; e dkjlkjsku vkO/ bM; k fyfeVM] tknqkkl+
(Hkkjr ljdkj dk l bFkkU)
Mkd?kj% tknqkkl+ ekbUl] >kj[k.M - 832 102

QkS / Phone : (0657)2730122
2730222/2730353

QSI / Fax : (0657) 2730322
(0657) 2731332

URANIUM CORPORATION OF INDIA LIMITED

(A Government of India Enterprise)
P.O. Jaduguda Mines, Jharkhand - 832 102

Email: : jadpur@uraniumcorp.in

i MRkkN / Enquiry

LkOk esTo

fykQkQai j ; g l aHkZfy[ka
QUOTE THIS REFERENCE ON THE COVER

i MRkkN l @ / Enquiry No. 1/PE171363/1

Rkkjh[k / Date 24/10/2017

fu; r rkjh[k / Due Date 29/11/2017

egk' k;]

di;k fuEufyf[kr l keku dh i frZdsfy, fn, x, gekjsi lussdntvjh vls vuska dsvuokj viushko Hk\$AA

Dear Sir,

Kindly submit your quotation made out as per instruction overleaf for the supply of stores detailed below.

De l @ Sl.No.	I keku dk uke / DESCRIPTION OF STORES	ek=k QUANTITY
1	RFID CARD FOR UNMANNED WEIGH BRIDGE SYSTEM OF 60 MT CAPACITY OF AVERY INDIA LTD, 1. Bidder Should submit their offer as per terms & conditions given under Annexure 1, 2 & 3 [ANNEXURE -1(Pre -Qualification Part), ANNEXURE-2(Techno-commercial Cum Price Part) & Annexure -3 (Pre-Qualification Criteria)] 2)Offer submitted in single part will be rejected. ()	50 No.

vugXud

Enclosures

Hkonh; / Yours faithfully

drs; yfu; e dkjlkjsku vkO/ bM; k fyfeVM

For URANIUM CORPORATION OF INDIA LIMITED

USHA MAHTO

Asst. Purchase Officer

vuošk

1 di; k viusnjšvæl , oa' kčn eam) ð djæA

2 QBI @bZey I sfufonk Lohdkj ughafd; stk, æsA

3 fof/k ekU; rk % Hkko bl i MArkN dh rkjh[k I s120 fnu ; k vf/kd I e; rd fof/kekU; gkæspkfg, A

4 I Ei vZcæ 'kæd ; fn dksZgk\$ rksvki ds}kjk ogu fd; k tk, xk A

5 vnk; xh % gekjsvnk; xh dh 'krZgksh] gekjshk. Mkj ij I kexlz dh i ælr rFkk Lohdfr dh rkjh[k I s30 fnukæds Hkhrj i jv dher vnk dh tk, xh A

6 dher 'kræ% vki }kjk Hkæsx, eky xUr0; LFkku tkæækkæ} ujoki gkM+, oarjæMhg ij fu% kæd I æpZh dsvk/kkj ij gkæk pkfg, A

7 dj % dj pæh] mRiknu 'kæd vkfn dh fuf' pr nj tgmbl yh ; kæ, gksvyx vyx fn[kkuh pkfg, vU; Fkk ckn ea , sh ol æy; kædsnkokai j fopkj ughafd; k tk, xk tc rd fd ; sfQj I su yxkbZtk; æA

8 ek=k % bl eanh xbZl keku dh ek=k dæy vuækfur gæA dæk bl eanh xbZi jv ek=k dsfy, vknšk nædsdsfy, ck/; ughagæA ; fn m} ð dher væ'kd ek=k ij ykxvu gksrks, æk fy[kæA

9 ueæk % vxj uevæææstk, arksfcuk fdI h i ækjk ds næsgkæsvk\$ bl gæfufonk nkrk dksyææ; k tkuk vko'; d ugh gkææ A

10 I æpZh % te'ksi j eabl dsvkl ikl vofLFkr i fvdRræZkædksgekjshk. Mkj tkæækkæ} ujoki gkM+, oarjæMhg ij I æpZh dshkko næspkfg, A

11 dæk dksdksZkh fufonk fcuk dksZdkj.k crk; sjnæ djusrFkk i MArkN fd; sx, ek=k I sde dsfy, dz vknšk næsdæk vf/kdkj gæA

12 i pæfyr I jdkjh ifji= dsvuækj i ækfedrkh nh tk, xh A

Instructions

- 1 Please quote your rate in figure and word.
2. FAX/e-MAIL offer will not be accepted.
3. Validity : Your quotation should be valid for 120 days or more from the due date of the enquiry.
4. Entire bank charge, if any will be borne by you.
5. Payment: Our terms of payment will be full value to be paid within 30 days from the date of receipt and acceptance of materials at our stores.
6. Price terms: Your quotation should be on the basis of F.O.R destination Jaduguda/Narwapahar/Turamdih.
7. Taxes: Specific rates of taxes, octroi, excise duty etc. where leviable should be shown separately otherwise claim of such levies will not be entertained later or unless they are newly levied.
8. Quantity: Quantity or stores indicated herein in approximate only and the purchaser is not bound to order of the full quantity. if the price quoted does not apply for part quantity it should be stated so.
9. Samples: samples, if called for , shall be submitted free of all charges and the same may not be returned to the tenderer.
10. Delivery: Supplier located in and around Jamshedpur should quote F.O.R. delivery at our stores at Jaduguda/Narwapahar/Turamdih.
11. The Purchaser reserves the right to reject any tender without assigning any reason and the order for less than the enquired quantity.
- 12 Purchase preference will be applicable as per Govt. circular in vogue.