

URANIUM CORPORATION OF INDIA LIMITED
JADUGUDA

Enquiry

Ref:UCIL/Mines/Elect./supdt./1/2025

Date:07/11/2025

Subject: Enquiry for 'Repairing of LT Terminal of 600 KVA Transformer – 3rd Stage Skip Winder

Dear Sir,

Repairing of LT Terminal of 600 KVA Transformer of 3rd Stage Skip Winder is urgently required to be done as per the attached UCIL Drawing. kindly submit your offer in closed cover to the office of the undersigned by 03:30 pm on 10/11/2025 .

Quantity required : 01 Nos.

Scope of Work:

1. Making the resin cast moulded LT terminal for Andrew yule make 600KVA Transformer as mentioned in the drawing along with 10mm thick Cork Sheet.
2. Defective Terminal will be provided on returnable basis for sample purposes only.
3. Scope of work is for supply of material only.

Terms and Conditions:

1. Delivery schedule: full quantity within 10 days after placing of the work order.
2. The party has to supply the material at our mines site, Jaduguda.
3. This is for one to one replacement with existing system. Payment will be released only after successful installation at site.
4. Any deviations in measurements w.r.t. drawing and sample, Party has to replace the material at their own cost.
5. Other terms and conditions regarding the material, acceptance of material, payment terms etc. will be mentioned as per UCIL standard norms in work order.

Thanking you,
Yours truly,

For Uranium Corporation of India Limited.

(K.R.Sandeep)
Supdt. (Elect.)
Jaduguda Mine