

यूरेनियम कॉर्पोरेशन ऑफ इंडिया लिमिटेड
मोहुलडीह माइन
URANIUM CORPORATION OF INDIA LIMITED
MOHULDIH MINES

पूछ-ताछ / ENQUIRY

Ref: UCIL/MHD/ELECT/124/2026/01

Date: 05/05/2026

Name of the Contractor with Seal	Last Date of submission of offer: 12/05/2026 up to 3:00 PM & opening at 3:30 PM by the tender opening committee in Turamdih. Following reference number shall be super scribed on the sealed envelope of quotation Ref: UCIL/MHD/ELECT/124/2026/01; Date:05/05/2026
----------------------------------	--

Sealed tenders are invited for the “**Repairing of oil leakage in 1000 KVA, 6.6KV/433V Transformer of Mohuldih Mine under DOP 28.**”

Eligibility: Bidder should have experience of repairing/rewinding/overhauling of any power transformer of 1000 KVA or above during last 7 years. Documents (workorders/completions etc) shall have to be produced relevant to above experience with the bid. Bidder should agree all the terms and condition written in the enquiry else his quotation may be rejected.

Terms and Conditions of the contract:

- **Following things need to be provided by the party:** 1) The crane/F15/Hydra for handling of transformer, 2) Empty barrel/Oil storage tanker for oil drain required, 3) All tools and Tackles for the safe execution of the job, 4) Gaskets and Rubber items, 5) testing equipments and its accessories, 6) Anything not mentioned here but required for the work is also under the scope of the party.
- **Scope of Job:** 1) Dismantling of Transformer including Dismantling of Top Cover & Conservator. 2) Connection and Disconnection of HT and LT connections including the replacement of nut, bolts and washer as required. 3) Labour Charges & Maintenance. 4) Changing of Oil seal, Cork Packing kit Gaskets etc. 5) Buchholz Relay repairing. 9) Filtration of Transformer Oil. 10) Testing of Transformer (As Per IS). 11) Erection of Transformer
- The transformer oil if required will be supplied by UCIL. Complete supervision for execution of the work at our Mohuldih site will be in the scope of party.

Payment Terms: Only final bill will be allowed after testing and safely power charging of the transformer at UCIL site.

Validity of offer: 90 days.

Note: Sealed quotations shall be submitted in hard copy to the office of Manager (Personnel) Turamdih Mine/ Supdt. (Elect.), Mohuldih Mine up to 3:00 P.M. on 12/05/2026. Quotations will be opened on the same day at 03:30 P.M. in front of tender opening committee.

Enclosure: Annexure – 1 (Price format)

For: Uranium Corporation of India Limited

अभिषेक कुमार
अधीक्षक (विद्युत)
मोहुलडीह खदान

PRICE PART

Schedule for “Repairing of oil leakage in 1000 KVA, 6.6KV/433V Transformer of Mohuldih Mine under DOP 28”.					
Sl. No	Item Description	Qty	Unit	Rate in Rs.	Amount
1	Repairing of 1000 KVA, 6.6KV/433V Power Transformer to Arrest Oil Leakage (Including Supply of Accessories as Required) The scope of work includes the following: a) Dismantling of the transformer, including removal of the top cover and conservator. b) Connection and disconnection of HT and LT terminals, with replacement of nuts, bolts, and washers as required. c) Replacement of oil seals, cork packing kits, and gaskets. d) Repair of Buchholz relay. e) Filtration of transformer oil. f) Testing of the transformer as per IS standards. g) Erection of the transformer after completion of repair. h) Labour charges and maintenance. i) Provision of one-year warranty.	1	LOT		
				GST @ 18%	
				Total Including GST	

In Words: